

# CONTENTS

|   |           |
|---|-----------|
| PREFACE   | xi        |
| <b>Chapter 1 Introduction</b>                                   | <b>1</b>  |
| 1.1 Brief Descriptions of Light Water Nuclear Power Reactors    | 2         |
| 1.1.1 Boiling Water Reactor Systems                             | 2         |
| 1.1.2 Pressurized Water Reactor Systems                         | 4         |
| 1.2 Radioactivity Transport Pathways and ANS Operation Standard |           |
| Source Terms  | 11        |
| References  | 11        |
| <b>Chapter 2 Review of Radiochemistry Fundamentals</b>          | <b>13</b> |
| 2.1 Radioactivity and Decay Process                             | 13        |
| 2.2 Units of Radioactivity                                      | 14        |
| 2.3 Decay Scheme and Decay Energy                               | 17        |
| 2.4 Radioactive Decay and Growth                                | 19        |
| 2.4.1 Transient Equilibrium                                     | 22        |
| 2.4.2 Secular Equilibrium                                       | 23        |
| 2.4.3 The Case of No Equilibrium                                | 24        |
| 2.4.4 Many Successive Decays                                    | 25        |
| 2.4.5 Branching Decay   | 26        |
| 2.5 Nuclear Reactions and Radioactivity Production              | 26        |
| 2.5.1 Neutron Spectrum in Nuclear Power Reactors                | 27        |
| 2.5.2 Cross Section and Reaction Rate                           | 29        |
| 2.5.3 Nuclear Fission   | 32        |
| 2.5.4 Radioactivity Production in Nuclear Power Reactors        | 34        |
| 2.6 Transuranic Nuclides  | 37        |
| References  | 38        |

|                  |   |           |
|------------------|---|-----------|
| <b>Chapter 3</b> | <b>Sampling and Radioactivity Measurements</b>                        | <b>39</b> |
| 3.1              | Introduction  | 39        |
| 3.2              | Sampling in a BWR System  | 39        |
| 3.2.1            | Offgas Sampling System  | 39        |
| 3.2.2            | Offgas Sampling Procedure   | 40        |
| 3.2.3            | BWR Primary Coolant Sampling  | 41        |
| 3.3              | PWR Primary Coolant Sampling  | 46        |
| 3.3.1            | General Comments and Precautions                                      | 46        |
| 3.3.2            | PWR Primary Coolant Sampling  | 47        |
| 3.4              | Sampling of Airborne Activities                                       | 50        |
| 3.4.1            | Tritium   | 50        |
| 3.4.2            | Particulate and Iodine Activities                                     | 50        |
| 3.5              | Radioactivity Measurements and Calculations                           | 51        |
| 3.5.1            | BWR Offgas Analysis and Calculation of Activity<br>Release Rates      | 51        |
| 3.5.2            | Primary Coolant Sample Analysis in BWRs                               | 54        |
| 3.5.3            | Calculation of Iodine Release Rates in BWRs                           | 56        |
| 3.5.4            | Calculation of Iodine Activity Release Rates in PWRs                  | 58        |
|                  | References  | 59        |
| <br>             |   |           |
| <b>Chapter 4</b> | <b>Fission Product Release Mechanisms and Source<br/>Terms</b>        | <b>61</b> |
| 4.1              | Fission Product Production and Inventory in the Reactor Core          | 61        |
| 4.2              | Theoretical Model of Fission Product Release Mechanisms               | 63        |
| 4.2.1            | Accumulation of Fission Products inside Fuel Cladding                 | 63        |
| 4.2.2            | Theoretical Model of Fission Product Release into<br>Fuel Gap         | 63        |
| 4.3              | Mechanisms of Fission Product Release into Coolant                    | 65        |
| 4.3.1            | Release of Fission Products from Fuel Contaminant                     | 66        |
| 4.3.2            | Diffusion Release from Fuel Rod Defects                               | 67        |
| 4.4.             | Calculation of Fission Product Release into the BWR<br>Primary System | 70        |
| 4.4.1            | Calculation of Noble Gas Activity Release Rate in BWRs                | 70        |
| 4.4.2            | Release Rate of Iodine Activities in BWRs                             | 70        |
| 4.4.3            | Calculation of Nonvolatile Soluble Fission Product<br>Release Rate    | 71        |
| 4.5              | BWR Radioactivity Design Source Term                                  | 72        |
| 4.6              | Fission Product Release Rates and Design Source Terms in PWRs         | 74        |
| 4.6.1            | Activity Release Rate Calculation                                     | 74        |
| 4.6.2            | PWR Fission Product Activity Source Terms                             | 75        |
|                  | References  | 76        |

|                  |  |            |
|------------------|--|------------|
| <b>Chapter 5</b> | <b>Characterization of Fission Product Release Patterns and Transport Behavior</b> | <b>79</b>  |
| 5.1              | Characterization of Fission Product Release Patterns                               | 79         |
| 5.1.1            | Theoretical Considerations   | 79         |
| 5.1.2            | Empirical Model  | 80         |
| 5.1.3            | Estimation of Recoil Release Level in BWRs   | 84         |
| 5.1.4            | BWR Fission Product Release Source Term  | 88         |
| 5.2.             | PWR Fission Product Release Rate and Characterization                              | 89         |
| 5.2.1            | Activity Release Rate Calculation and Recoil Level Estimate                        | 89         |
| 5.2.2            | Characterization of Fission Product Release Pattern in PWRs                        | 90         |
| 5.2.3            | PWR Fission Product Release Source Term  | 92         |
| 5.3              | Fuel Integrity Monitoring and Failure Evaluation in BWRs and PWRs                  | 94         |
| 5.3.1            | Measurements of Fission Product Concentrations and Release Rates                   | 94         |
| 5.3.2            | Identification of Fuel Failure and Failure Evaluation                              | 94         |
| 5.3.3            | Degradation of Defective Fuel  | 97         |
| 5.3.4            | Estimate of Failed Fuel Rod Exposure   | 98         |
| 5.4              | Fission Product Transport in the Coolant System                                    | 102        |
| 5.4.1            | Fission Products in the Steam/Condensate System in BWRs                            | 102        |
| 5.4.2            | Fission Products in the Secondary Coolant System in PWRs                           | 104        |
| 5.5              | Fission Product Release during Power Transient                                     | 107        |
| 5.5.1            | Fission Product Spiking  | 107        |
| 5.5.2            | Magnitude of I-131 Spiking in BWRs   | 107        |
|                  | References   | 110        |
| <b>Chapter 6</b> | <b>Water and Impurity Activation Products</b>                                      | <b>113</b> |
| 6.1              | Introduction   | 113        |
| 6.2              | Tritium Production in Light Water Reactors   | 113        |
| 6.2.1            | Tritium in BWRs  | 115        |
| 6.2.2            | Tritium in PWRs  | 115        |
| 6.3              | Activation of Water and Impurities in Reactor Coolant                              | 116        |
| 6.3.1            | Sodium-24 and Chlorine-38 in BWRs  | 119        |
| 6.3.2            | Sodium-24 and Chlorine-38 Activity Buildup during a No-Cleanup Test                | 120        |
| 6.4              | Chemical and Transport Behavior of Nitrogen Activities in BWRs                     | 121        |
| 6.4.1            | Production of N-13 and N-16 Activities in the Coolant                              | 121        |
| 6.4.2            | Chemistry and Transport Behavior of N-13 and N-16 Activities                       | 122        |
| 6.5              | Fluorine-18 in BWRs  | 127        |

|  |            |
|--|------------|
| 6.6 Carbon-14  | 128        |
| References   | 131        |
| <b>Chapter 7 Activated Corrosion Products</b>  | <b>133</b> |
| 7.1 Introduction   | 133        |
| 7.2 Activation of Structural Materials   | 133        |
| 7.3 Activated Corrosion Products in BWRs   | 134        |
| 7.3.1 Activation of Corrosion Product Deposits on BWR Fuel Cladding Surfaces             | 134        |
| 7.3.2 Chemical Behavior of Activated Corrosion Products in BWR Coolant                   | 144        |
| 7.3.3 Corrosion Product Transport and Radiation Field Buildup in the Primary System      | 148        |
| 7.4 Radiation Field Buildup in BWR Recirculation Lines                                   | 158        |
| 7.4.1 Variation of Radiation Field Buildup   | 158        |
| 7.4.2 Countermeasures of Radiation Field Buildup   | 159        |
| 7.5 Activated Corrosion Products in PWRs   | 161        |
| 7.5.1 Deposition of Corrosion Products on Fuel Surfaces                                  | 161        |
| 7.5.2 Radiochemical Composition in the PWR Primary Coolant                               | 164        |
| 7.5.3 Corrosion Product Activity Deposition and Radiation Fields on Out-of-Core Surfaces | 167        |
| References   | 169        |
| <b>Chapter 8 Radiation Chemistry of Reactor Coolant</b>                                  | <b>173</b> |
| 8.1 Introduction   | 173        |
| 8.2 Radiation Chemistry  | 173        |
| 8.3 Water Radiolysis   | 174        |
| 8.3.1 Water Radiolysis Reactions   | 175        |
| 8.3.2 Suppression of Water Radiolysis by H <sub>2</sub> Addition                         | 177        |
| 8.4 Water Radiolysis in BWR Coolant  | 177        |
| 8.4.1 Radiolytic Gas Production in BWRs  | 178        |
| 8.4.2 The Role of Impurities   | 178        |
| 8.4.3 Hydrogen Water Chemistry Technology in BWRs  | 180        |
| 8.4.4 Measurements of Hydrogen Peroxide and Radiolysis Model Calculations                | 185        |
| 8.4.5 Summary of Water Chemistry in the BWR Coolant under NWC and HWC Conditions         | 187        |
| 8.5 Chemical Effects of Radiation in BWR Coolant   | 187        |
| 8.6 NMCA Technology  | 188        |
| References   | 188        |

|   |            |
|---|------------|
| <b>Chapter 9 Radiochemistry of Iodine</b>   | <b>191</b> |
| 9.1 Introduction  | 191        |
| 9.2 Iodine Reactions in Aqueous Solutions   | 191        |
| 9.3 Radiation Chemistry of Iodine   | 192        |
| 9.4 Formation of Organic Iodine   | 195        |
| 9.5 Analytical Procedures for Iodine Species  | 196        |
| 9.5.1 Iodine Species in Aqueous Solutions   | 196        |
| 9.5.2 Sampling Airborne Iodine Species  | 197        |
| 9.6 Chemical Forms of Radioiodine in BWR Coolant                                    | 197        |
| 9.7 Chemical Forms of Radioiodine in BWR Condensate<br>and Offgas                   | 200        |
| 9.8 Effects of Coolant Chemistry on Iodine Steam Carryover<br>in BWRs               | 201        |
| 9.9 Chemical Forms of Airborne Radioiodine in BWR Systems                           | 202        |
| 9.10 Chemical Forms of Radioiodine in PWR Primary Coolant                           | 203        |
| 9.11 Radioactivity Measurement and Dose Equivalent Iodine-131<br>Conversion Factors | 204        |
| 9.12 Iodine Chemistry under Accident Conditions                                     | 205        |
| References  | 205        |
| <br>  |            |
| <b>Chapter 10 Miscellaneous Radiochemical Studies</b>                               | <b>209</b> |
| 10.1 Estimation of Noble Gas Transit Time in the BWR<br>Turbine System              | 209        |
| 10.2 No-Cleanup Tests in BWRs   | 210        |
| 10.2.1 Determination of RWCU Half-Time and Reactor<br>Coolant Mass                  | 211        |
| 10.2.2 Iodine Carryover Measurement   | 214        |
| 10.3 Estimate of Residence Time in Offgas Charcoal Bed                              | 214        |
| 10.4 Application of Isotopic Dilution Technology                                    | 216        |
| 10.4.1 Application of Na-24 Tracer in Feedwater Flow<br>Measurements                | 216        |
| 10.4.2 PWR Primary-to-Secondary Coolant Leakage<br>Measurements                     | 218        |
| 10.5 Postaccident Core Damage Estimation  | 219        |
| 10.5.1 Revised Iodine Release Source Terms  | 219        |
| 10.5.2 Calculation of Fission Product Inventory in the Core                         | 221        |
| 10.5.3 Core Damage Estimate   | 223        |
| 10.6 Beta and Alpha Activity Measurements   | 225        |
| 10.6.1 Beta Activity Measurements   | 225        |
| 10.6.2 Alpha Activity Measurements  | 225        |

|  |            |
|--|------------|
| 10.7 Estimate of Difficult-to-Measure Nuclides in Radioactive Waste  | 227        |
| 10.7.1 Introduction  | 227        |
| 10.7.2 Difficult-to-Measure Nuclides in Various Waste Systems  | 227        |
| 10.7.3 Radionuclide Correlations and Scaling Factors   | 229        |
| 10.8 Locating Defective Fuel by Power Suppression Testing  | 231        |
| References   | 233        |
| <b>Chapter 11 Review and Exercise Problems</b>   | <b>235</b> |
| Part 1: Radiochemistry Fundamentals and Radioactivity Measurements   | 235        |
| Part 2: Radioactivity Production and Transport   | 243        |
| Part 3: Fission Products and Fuel Performance Evaluation   | 250        |
| <b>Appendix A Summary of Major Nuclides and Radiation Properties</b>   | <b>257</b> |
| <b>Appendix B Major Gamma-Ray Energies and Intensities</b>   | <b>259</b> |
| <b>Appendix C Major Fission Product Decay Chains</b>   | <b>269</b> |
| <b>Appendix D Cumulative Yields of Major Fission Products in Thermal Neutron Fission of U-235 and Pu-239</b> | <b>271</b> |
| <b>Appendix E Gamma-Ray Spectrometric Analysis</b>   | <b>275</b> |
| E.1 Introduction   | 275        |
| E.2 Detector Calibration   | 275        |
| E.2.1 Standard Sources   | 275        |
| E.2.2 Calibration Procedure  | 276        |
| E.3 Measurement of Gamma-Ray Emission Rate of the Sample   | 279        |
| E.4 Corrections to Counting Data   | 280        |
| E.4.1 Decay Corrections  | 280        |
| E.4.2 Coincident Photon Summing Correction   | 282        |
| E.4.3 Sample Geometry Calibration  | 282        |
| E.5 Sample Analysis and Uncertainty in Activity Measurement  | 284        |
| E.5.1 Interferences in Spectrometric Analyses  | 284        |
| E.5.2 Spectrometric Analysis of the Nuclides Emitting 511-keV Photons  | 285        |
| E.5.3 Counting Statistics  | 285        |
| E.6 Gamma Scanning System for Piping Activity Measurement  | 287        |
| References   | 289        |
| INDEX  | 291        |
| ABOUT THE AUTHOR   | 295        |